

1 Unilift KP 150 A 1



: 011H1800

1-

F,

, 10

10

: 0 .. 50 °C
: 998.2 / 3

: 10
:
:
DIN W.-Nr. 1.4301
AISI 304
:
DIN W.-Nr. 1.4031
AISI 304
:
:
Rp 1 1/4
:
:
:
- P1: 300
:
50 Hz
:
1 x 220-230
:
1.3 A
- : 8 /400
(IEC 34-5): IP68
(IEC 85): F
:
10
:
SCHUKO
:
:
6.5
:
6.7
:
0.013 ³
Danish VVS No.: 391215016
Swedish RSK No.: 5885711
Finnish LVI No.: 4822503
Norwegian NRF no.: 9040752
C : HU
:
8413702100

	Unilift KP 150 A 1
	011H1800
EAN	5700391115523
	5700391115523
	206,00 UER
Ma	2.36 /
	5.5
	10
	A
	DIN W.-Nr. 1.4301
	AISI 304
	DIN W.-Nr. 1.4031
	AISI 304
	Rp 1 1/4
	7
	0 .. 50 °C
	998.2 / ³
	- P1: 300
	50 Hz
	1 x 220-230
	1.3 A
	8 /400
	(IEC 34-5): IP68
	(IEC 85): F
	CONTACT
	10
	SCHUKO
	6.5
	6.7
	0.013 ³
Danish VVS No.:	391215016
Swedish RSK No.:	5885711
Finnish LVI No.:	4822503
Norwegian NRF no.:	9040752
C	HU
	8413702100

